

Appendix 2. List of excluded taxa from KFS (2012) and NIBR (2013).

The information is listed as follow; scientific and vernacular names, reference and note.

PTERIDOPHYTES 양치식물문

Apleniaceae 꼬리고사리과

- 1 *Asplenium sarelii* Hook. var. *anogrammoides* (Christ) Tagawa 바위좁고사리, KFS (2012), synonym of *A. anogrammoides* Christ (Lin and Viane, 2013)

Athyriaceae 개고사리과

- 2 *Athyrium nakaii* Tagawa 강원고사리, KFS (2012), synonym of *Dryopteris goeringiana* (Kuntze) Koidzumi (Kim et al., 2015a)

Dryopteridaceae 관중과

- 3 *Dryopteris austriaca* (Jacq.) Woy. ex Schinz & Thell. var. *subopposita* H. Ito 금강고사리, KFS (2012), unable to check validly published description or diagnosis

Thelypteridaceae 처녀고사리과

- 4 *Phegopteris koreana* B. Y. Sun & C. H. Kim 큰설설고사리, KFS (2012), distributed in Japan (Kim et al., 2015b)

Woodsiaceae 우드풀과

- 5 *Woodsia pseudoilvensis* Tagawa 메가물고사리, KFS (2012), synonym of *W. subcordata* Turcz. (Kim and Sun, 2015)

- 6 *Woodsia saitoana* Tagawa 좁쌀우드풀, KFS (2012), synonym of *W. subcordata* Turcz. (Kim and Sun, 2015)

ANGIOSPERMAE 피자식물문

DICOTYLEDONEAE 쌍자엽식물강

Actinidiaceae 다래나무과

- 7 *Actinidia arguta* (Siebold & Zucc.) Planch. ex Miq. var. *rufinervis* Nakai 녹다래나무, NIBR (2013), synonym of *A. arguta* (Siebold & Zucc.) Planch. ex Miq. (Kim and Oh, 2013)

Apiaceae 산형과

- 8 *Angelica cartilaginomarginata* (Makino ex Y. Yabe) Nakai var. *distans* (Nakai) Kitag. 흰바디나물, NIBR (2013), synonym of *A. cartilaginomarginata* (Makino ex Y. Yabe) Nakai (Yoon, 1994)

- 9 *Angelica polymorpha* Maxim. var. *fallax* (Boiss.) Kitag. 개강활, NIBR (2013), synonym of *A. polymorpha* Maxim. (Yoon, 1994)

- 10 *Coelopleurum nakaianum* (Kitag.) Kitag. 부전바디, NIBR (2013), distributed in China (Lee, 1996)

- 11 *Tilingia nakaiana* Kitag. 속리참나물, KFS (2012); NIBR (2013), synonym of *T. tsusimensis* (Y. Yabe) Kitag. (Kim et al., 2007)

Aristolochiaceae 쥐방울덩굴과

- 12 *Asarum misandrum* B. U. Oh & J. G. Kim 각시족도리풀, KFS (2012); NIBR (2013), distributed in Japan (Oh, 2008)

- 13 *Asarum yeonbyeonense* M. Kim & S. So 연변족도리풀, KFS (2012), distributed in China (So et al, 2010)

Asteraceae 국화과

- 14 *Achillea ptarmica* L. var. *acuminata* (Ledeb.) Heimerl 큰톱풀, KFS (2012); NIBR (2013), synonym of *A. acuminata* (Ledeb.) Sch.-Bip. (Afanasiev and Botschantzev, 1961)

- 15 *Artemisia japonica* Thunb. var. *angustissima* (Nakai) Kitam. 실체비쭈, NIBR (2013), synonym of *A. angustissima* Naka (Park, 2012)

- 16 *Aster chezuensis* (Kitam.) Nakai 제주국화, KFS (2012); NIBR (2013), synonym of *A. hispidus* Thunb. (Kim, 2017a)

- 17 *Cirsium vlassovianum* Fisch. ex DC. var. *album* Nakai 민흰잎영경귀, NIBR (2013), possible synonym of *C. vlassovianum* Fisch. ex DC. (Im, 1999)

- 18 *Hieracium coreanum* Nakai 깔깔이풀, KFS (2012), distributed in China [= *Crepis coreana* (Nakai) H.S. Pak] (Zhu and Kilian, 2011)

- 19 *Leontopodium seorakensis* Y. S. Lim, J. O. Hyun, Y. D. Kim & H. Shin 설악솜다리, NIBR (2013), synonym of *L. leiolepis* Nakai (Lee et al., 2016)

- 20 *Parasenecio koraiensis* (Nakai) B. U. Oh 참나래박쥐, KFS (2012), invalidly published name [*Cacalia koraiensis* Nakai (1952) is nom. nud.]

- 21 *Saussurea maximowiczii* Herder var. *triceps* (H. Lév. & Vaniot) Kitam. 한라분취, KFS (2012); NIBR (2013), synonym of *S. maximowiczii* Herder (Hassler, 2017)

- 22 *Saussurea triangulata* Trautv. & C. A. Mey. var. *pinnatifida* (Nakai) Kitam. 깃뚝불취, NIBR (2013), synonym of *S. manshurica* Kom. (Hassler, 2017)
- 23 *Senecio birubonensis* Kitam. 금강솜방망이, KFS (2012); NIBR (2013), synonym of *Tephroses phaeantha* (Nakai) C. Jeffrey & Y.L. Chen (Jeffrey and Chen, 1984)
- 24 *Senecio koreanus* Kom. 국화방망이, KFS (2012), distributed in China [= *Tephroses koreana* (Kom.) B. Nord. & Pelser] (Nordenstam and Pelser, 2011)

Balsaminaceae 봉선화과

- 25 *Impatiens violascens* B. U. Oh and Y. Y. Kim 꼬마물봉선, GB (Bohyeonsan), KFS (2012), later homonym of *I. violacea* M. Kumar & Sequiera (2001) (Park et al., 2013a)

Betulaceae 자작나무과

- 26 *Betula ermanii* Cham. var. *saitoana* (Nakai) Hatusima 좁고채목, KFS (2012), synonym of *B. ermanii* Cham. (Govaerts and Bopp, 2017)

Brassicaceae 십자화과

- 27 *Arabis ligulifolia* Nakai 주걱장대, NIBR (2013), synonym of *A. pendula* L. (Iwatsuki et al., 2006)
- 28 *Arabis serrata* Franch. & Sav. var. *hallaisanensis* (Nakai) Ohwi 바위장대, NIBR (2013), possible synonym of *A. serrata* Franch. & Sav. (Oh, 2007a)
- 29 *Cardamine glechomifolia* H. Lévl. 벌깨냉이, KFS (2012); NIBR (2013), distributed in China and Japan (= *C. anhuiensis* D.C. Zhang & C.Z. Shao in China; = *C. arakiana* Koidz. in Japan) (Kim, 2015c)
- 30 *Cardamine koreana* (Nakai) Nakai 참고추냉이, NIBR (2013), synonym of *C. leucantha* (Tausch) O.E. Schulz (Song and Park, 2012)
- 31 *Cardamine pseudowasabi* H. Shin & Y. D. Kim 고추냉이, KFS (2012), possible synonym of *Eutrema japonicum* (Miq.) Koidz. (Y. Y. Kim, pers. comm.)

Campanulaceae 초롱꽃과

- 32 *Adenophora obovata* Kitam. 관악잔대, KFS (2012); NIBR (2013), synonym of *A. polyantha* Nakai (Yoo, 1995)
- 33 *Adenophora pulchra* Kitam. 금강잔대, KFS (2012); NIBR (2013), synonym of *A. triphylla* (Thunb.) A. DC. (Govaerts, 1995)

Caprifoliaceae 인동과

- 34 *Lonicera tatarinowii* Maxim. var. *leptantha* (Rehder) Nakai 흰괴불나무, KFS (2012); NIBR (2013), synonym of *L. tatarinowii* Maxim. (Lee, 1996)
- 35 *Zabelia mosanensis* Hisauti & H. Hara 땡강나무, NIBR (2013), synonym of *Z. biflora* (Turcz.) Makino (Kim, 1998)

Caryophyllaceae 석죽과

- 36 *Pseudostellaria bulbosa* (Nakai) Ohwi 덩이뿌리개별꽃, KFS (2012), synonym of *P. heterophylla* (Miq.) Pax (Hassler, 2017); possible synonym of *P. davidii* (Franch.) Pax (K. Choi, pers. comm.)

Celastraceae 노박덩굴과

- 37 *Buxus koreana* (Nakai ex Rehder) T. H. Chung, P. S. Toh, D. B. Lee & F. J. Lee. 회양목, KFS (2012), distributed in China (Kim, 2015a)
- 38 *Euonymus alatus* (Thunb.) Siebold var. *uncinatus* Nakai 삼방회잎나무, KFS (2012), synonym of *E. alatus* (Thunb.) Siebold f. *apterus* (Regel) Rehder (Kim, 1993)

Crassulaceae 돌나물과

- 39 *Orostachys filifera* (Nakai) Nakai 애기마위술, NIBR (2013), synonym of *O. spinosa* (L.) C. A. Meyer ex A. Berger (Ohba, 2003a)
- 40 *Rhodiola angusta* Nakai 좁은잎돌꽃, KFS (2012), distributed in China (= *R. ramosa* Nakai) (Ohba, 2003b)
- 41 *Sedum aizoon* L. var. *ramosum* Uyeki & Sakata 가지기린초, NIBR (2013), synonym of *S. aizoon* L. (Hart and Bleij, 2003)
- 42 *Sedum zokuriense* Nakai 속리기린초, KFS (2012); NIBR (2013), possible synonym of *S. kamtschaticum* Fisch. (Lee et al., 2003)

Ericaceae 진달래과

- 43 *Rhododendron saisiuense* Nakai 한라산참꽃, KFS (2012), synonym of *R. kiusianum* Makino (Yamazaki, 1996)
- 44 *Vaccinium hirtum* Thunb. var. *koreanum* (Nakai) Kitam. 산앵도나무, KFS (2012); NIBR (2013), distributed in China (Fang and Stevens, 2005)

Euphorbiaceae 대극과

- 45 *Euphorbia octoradiata* H. Lévl. & Vaniot 제주대극, NIBR (2013), synonym of *E. esula* L. (Park, 2015)
- 46 *Euphorbia pekinensis* Rupr. var. *subulatifolius* (Hurus.) T. B. Lee 목포대극, KFS (2012); NIBR (2013), synonym of *E. lasiocaula* Boiss. (Park, 2015)

Fabaceae 콩과

- 47 *Astragalus koraiensis* Y. Lee 정선허기, NIBR (2013), synonym of *A. sikokianus* Nakai (Choi et al., 2015)
- 48 *Lespedeza bicolor* Turcz. var. *sericea* Nakai 털싸리, NIBR (2013), synonym of *L. bicolor* Turcz. (Akiyama, 1988)
- 49 *Lespedeza maximowiczii* C. K. Schneid. var. *tomentella* (Nakai) Nakai 털조록싸리, NIBR (2013), synonym of *L. maximowiczii* C. K. Schneid. (Akiyama, 1988)
- 50 *Lespedeza pilosa* (Thunb.) Siebold & Zucc var. *pedunculata* T.B. Lee 긴팽이싸리, NIBR (2013), possible synonym of *L. pilosa* (Thunb.) Siebold & Zucc. (B.H. Choi, pers. comm.)
- 51 *Lespedeza robusta* Nakai 고양싸리, NIBR (2013), synonym of *L. formosa* (Vogel) Koehne (Hatusima, 1967)
- 52 *Oxytropis strobilacea* Bunge 시루산뚝부, KFS (2012), distributed in Russia (Kholina et al., 2016)
- 53 *Vicia angustipinnata* Nakai 가는갈퀴나물, NIBR (2013), synonym of *V. hirticalycina* Nakai (Choi and Kwon, 2001)
- 54 *Vicia linearifolia* Y. Lee 계방나비나물, KFS (2012); NIBR (2013), later homonym of *V. linearifolia* Hook. & Arn. (1830) (Park et al., 2013a)

Fagaceae 참나무과

- 55 *Quercus dentata* Thunb. var. *fallax* Nakai 청떡갈나무, NIBR (2013), synonym of *Q. dentata* Thunb. (Govaerts, 2004)
- 56 *Quercus glauca* Thunb. var. *nudata* Blume 흰민중가시, KFS (2012), possible synonym of *Q. glauca* Thunb. (Lee, 2012)
- 57 *Quercus stenophylla* (Blume) Makino var. *latifolia* Nakai 넓은잎참가시나무, NIBR (2013), possible synonym of *Q. salicina* Blume f. *latifolia* (Nakai) W. Lee (Lee, 1996)

Geraniaceae 쥐손이풀과

- 58 *Geranium eriostemon* Fisch. ex DC. var. *glabrescens* Nakai ex H. Hara 부전쥐손이, NIBR (2013), synonym of *G. platyanthum* Duthie (Xu and Aedo, 2008)
- 59 *Geranium koraiense* Nakai 참이질풀, KFS (2012), later homonym of *G. koreanum* Kom. (1901)
- 60 *Geranium koreanum* Kom. 둥근이질풀, NIBR (2013), distributed in China (Xu and Aedo, 2008)

Juglandaceae 가래나무과

- 61 *Platycarya strobilacea* Siebold et Zucc. var. *coreana* Miq. 털꿀피나무, NIBR (2013), synonym of *P. strobilacea* Siebold et Zucc. f. *coreana* (Miq.) W. T. Lee (Lee, 1996)

Lamiaceae 꿀풀과

- 62 *Mentha arvensis* L. var. *barbata* (Nakai) W. Lee 털박하, KFS (2012); NIBR (2013), synonym of *M. canadensis* L. (Tucker and Naczi, 2007)
- 63 *Scutellaria indica* L. var. *alba* S. Kim & S. Lee 비바리골무꽃, KFS (2012); NIBR (2013), synonym of *S. indica* L. (Govaerts, 2003)

Loganiaceae 마전과

- 64 *Gardneria insularis* Nakai 영주치자, KFS (2012), synonym of *G. nutans* Siebold & Zucc. (Leenhouts, 1962)

Oleaceae 물푸레나무과

- 65 *Forsythia saxatilis* (Nakai) Nakai 산개나리, KFS (2012); NIBR (2013), synonym of *F. ovata* Nakai (Chung et al., 2013; De Juana Clavero, 2016)
- 66 *Fraxinus quadrijuga* Nakai 백운쇠물푸레, NIBR (2013), possible synonym of *F. sieboldiana* Blume (Chang et al., 2011)
- 67 *Ligustrum acutissimum* Koehne 산동취뚝나무, KFS (2012), synonym *L. leucanthum* (S. Moore) P.S. Green (Green, 1995; De Juana, 2009)
- 68 *Syringa fauriei* H. Lévl. 버들개회나무, KFS (2012), synonym of *S. reticulata* (Blume) H. Hara subsp. *amurensis* (Rupr.) P.S. Green & M.C. Chang (Chen, 2008)
- 69 *Syringa patula* (Palib.) Nakai var. *venosa* (Nakai) M. Kim 섬개회나무, KFS (2012); NIBR (2013), synonym of *S. pubescens* Turcz. subsp. *patula* (Palib.) M. C. Chang & X. L. Chen (Chen et al., 2009)
- 70 *Syringa wolfii* C. K. Schneid. var. *hirsuta* (C. K. Schneid) Rehder 털꽃개회나무, NIBR (2013), synonym of *S. villosa* subsp. *wolfii* (C. K. Schneid.) Jin Y. Chen & D.Y. Hong (Chen, 2008)

Ranunculaceae 미나리아재비과

- 71 *Clematis flabellata* Nakai 요강나물, KFS (2012); NIBR (2013), synonym of *C. fusca* Turcz. (Hassler, 2017)
- 72 *Clematis mandshurica* Rupr. var. *koreana* (Nakai) Nakai ex Mori 큰위령선, NIBR (2013), possible synonym of *C. terniflora* DC. var. *mandshurica* (Rupr.) Ohwi (NIBR, 2013)

73 *Thalictrum rochebrunnianum* Franch. & Sav. var. *grandisepalum* (H. Lév.) Nakai 금평의다리, NIBR (2013), synonym of *T. rochebrunnianum* Franch. & Sav. (Iwatsuki et al., 2006)

74 *Thalictrum uchiyamai* Nakai 자주평의다리, NIBR (2013), distributed in Japan (Iwatsuki et al., 2006)

Rosaceae 장미과

75 *Potentilla dickinsii* Franch. et Sav. var. *brevisetata* Nakai 참양지꽃, NIBR (2013), synonym of *P. dickinsii* Franch. et Sav. (Iwatsuki et al., 2001)

76 *Potentilla dickinsii* Franch. et Sav. var. *glabrata* Nakai 섬양지꽃, KFS (2012); NIBR (2013), synonym of *P. dickinsii* Franch. et Sav. (Iwatsuki et al., 2001)

77 *Pourthiaea villosa* (Thunb.) Decne. var. *brunnea* (H. Lév.) Nakai 떡잎윤노리나무, KFS (2012); NIBR (2013), synonym of *P. villosa* (Thunb.) Decne. (Liu and Hong, 2016)

78 *Rosa kokusanensis* Nakai 흑산가시, KFS (2012); NIBR (2013), synonym of *R. luciae* Franch. & Rochebr. (Chang et al., 2011; Hassler, 2017)

79 *Rosa maximowicziana* Regel var. *pilosa* (Nakai) Nakai 털용가시, KFS (2012); NIBR (2013), synonym of *R. maximowicziana* Regel (Hassler, 2017)

80 *Rubus parvifolius* L. var. *taquetii* (H. Lév.) Lauener & D.K. Ferguson 사슴딸기, NIBR (2013), synonym of *R. parvifolius* L. (Iwatsuki et al., 2001)

81 *Rubus tozawae* Nakai ex J.Y. Yang var. *longisepalus* J.Y. Yang 맥도딸기, KFS (2012), possible synonym of *R. ribisoideus* Matsum. (Yang et al., 2012)

82 *Sanguisorba hakusanensis* Makino var. *coreana* H. Hara 산오이풀, NIBR (2013), synonym of *S. hakusanensis* Makino (Lee et al., 2000)

83 *Sorbus amurensis* Koehne var. *latifoliolata* Nakai 넓은잎당마가목, NIBR (2013), synonym of *S. commixta* Hedl. (Park et al., 2013b)

84 *Sorbus amurensis* Koehne var. *rufa* Nakai 차빛당마가목, KFS (2012), synonym of *S. commixta* Hedl. (Park et al., 2013b)

85 *Sorbus commixta* Hedl. var. *pilosa* Nakai 잔털마가목, NIBR (2013), synonym of *S. commixta* Hedl. (Park et al., 2013b)

Rubiaceae 꼭두서니과

86 *Galium boreale* L. var. *koreanum* Nakai 털긴잎갈퀴, KFS (2012); NIBR (2013), synonym of *G. boreale* L. (Govaerts, 2003)

Rutaceae 운향과

87 *Zanthoxylum coreanum* Nakai 왕초피, KFS (2012), synonym of *Z. simulans* Hance (Murata, 1984)

Salicaceae 버드나무과

88 *Populus glandulosa* (Uyeki) Uyeki 수원사시나무, KFS (2012); NIBR (2013), later homonym of *P. glandulosa* Moench (1794)

89 *Salix floderusii* Nakai var. *fuscescens* Nakai 백산버들, KFS (2012); NIBR (2013), synonym of *S. xerophila* f. *fuscescens* (Nakai) W. G. Park (Park, 2007)

90 *Salix pseudolasiogyne* H. Lév 능수버들, KFS (2012), distributed in China (Fang et al., 1999)

91 *Salix sericeocinerea* Nakai 큰산버들, KFS (2012), distributed in Japan (Park, 2007)

Saxifragaceae 범의귀과

92 *Astilbe rubra* Hook.f. & Thomson var. *divaricata* (Nakai) W. T. Lee 진퍼리노루오줌, KFS (2012); NIBR (2013), synonym of *A. koreana* (Kom.) Nakai (Han, 2016)

93 *Chrysosplenium hallaisanense* Nakai 제주괘이눈, NIBR (2013), synonym of *C. barbatum* Nakai (Kim, 2015b)

94 *Mukdenia rossii* (Oliv.) Koidz. var. *multiloba* (Nakai) Nakai 큰돌단풍, NIBR (2013), synonym of *M. rossii* (Oliv.) Koidz. (Lee, 1996)

95 *Philadelphus koreanus* Nakai 양덕고광나무, KFS (2012); NIBR (2013), synonym of *P. tenuifolius* Rupr. (Park et al., 2005)

96 *Philadelphus scaber* Nakai 섬고광나무, KFS (2012); NIBR (2013), synonym of *P. tenuifolius* Rupr. (Park et al., 2005)

97 *Philadelphus seoulensis* Y. H. Chung & H. C. Shin 서울고광나무, KFS (2012); NIBR (2013), synonym of *P. tenuifolius* Rupr. (Park et al., 2005)

98 *Saxifraga fortunei* Hook. var. *pilosissima* Nakai 털바위떡풀, KFS (2012), synonym of *S. fortunei* Hook. var. *aplina* (Matsum. et Nakai) Nakai (Iwatsuki et al., 2001)

Scrophulariaceae 현삼과

99 *Pedicularis mandshurica* Maxim. var. *coreana* (Bonati) Hurus. 털만주송이풀, NIBR (2013), synonym of *P. mandshurica* Maxim. (Hassler, 2017)

100 *Pseudolysimachion kiusianum* (Furumi) T. Yamaz. var. *glabrifolium* (Kitag.) T. Yamaz. 큰산꼬리풀, KFS (2012), synonym of *P. kiusianum* (Furumi) T. Yamaz. (Hong et al., 1998)

101 *Scrophularia buergeriana* Miq. var. *quelpartensis* T. Yamaz. 제주현삼, KFS (2012); NIBR (2013), synonym of *S. kakudensis* Franch. var. *microphylla* Nakai (Jang, 2016)

Solanaceae 가지과

102 *Scopolia lutescens* Y. Lee 노랑미치광이풀, KFS (2012); NIBR (2013), synonym of *S. japonica* Maxim. (Jang et al., 2011)

Tiliaceae 피나무과

103 *Tilia ovalis* Nakai 옹기피나무, NIBR (2013), distributed in China (Tang et al., 2007)

Trapaceae 마름과

104 *Trapa bicornis* Osbeck 유전마름, KFS (2012), distributed in China (Na and Oh, 2015)

Urticaceae 쐬기풀과

105 *Boehmeria hirtella* Satake 털긴잎모시풀, NIBR (2013), synonym of *B. sieboldiana* Blume (Wilmot-Dear and Friis, 2013)

106 *Boehmeria nakaiana* Satake 제주긴잎모시풀, NIBR (2013), synonym of *B. sieboldiana* Blume (Wilmot-Dear and Friis, 2013)

107 *Boehmeria quelpaertensis* Satake 제주모시풀, KFS (2012); NIBR (2013), distributed in Japan (Yahara, 1983)

Violaceae 제비꽃과

108 *Viola kapsanensis* Nakai var. *albiflora* (Nakai) Nakai 흰갑산제비꽃, NIBR (2013), synonym of *V. japonica* Langsd. ex Ging (Hassler, 2017); possible synonym of *V. kapsanensis* Nakai (K.O. Yoo, pers. comm.)

109 *Viola takesimana* Nakai 섬제비꽃, KFS (2012); NIBR (2013), synonym of *V. acuminata* Ledeb. (Hassler, 2017); possible synonym of *V. grypocera* A. Gary (K.O. Yoo, pers. comm.)

MONOCOTYLEDONEAE 단자엽식물강

Araceae 천남성과

110 *Pinellia koreana* K. H. Tae & J. H. Kim 지리반하, KFS (2012), synonym of *P. ternata* (Thunb.) Makino (Zhu et al., 2007)

Cyperaceae 사초과

111 *Carex aphanolepis* Franch. & Sav. var. *mixta* Nakai 잡골사초, KFS (2012), invalidly published name (nomen nudum)

112 *Carex blepharicarpa* Franch. var. *insularis* Nakai 여우꼬리사초, NIBR (2013), synonym of *C. blepharicarpa* Franch. (Govaerts and Simpson, 2007)

113 *Carex tenuiformis* H. Lév. & Vaniot var. *neofilipes* (Nakai) Ohwi ex Hatusima, 그늘실사초, KFS (2012), distributed in China, Japan and Russia (Oh, 2007c)

Eriocaulaceae 곡정초과

114 *Eriocaulon latipetalum* Y. C. Oh & C. S. Heo 넓은꽃잎개수염, KFS (2012), invalidly published name (nomen nudum)

Iridaceae 붓꽃과

115 *Iris sanguinea* Donn ex Hornem. var. *violacea* Makino 진보라붓꽃, KFS (2012), possible synonym of *I. sanguinea* (J.-K. Sim, pers. comm.)

Juncaceae 꿀풀과

116 *Luzula rufescens* Fisch. ex E. Mey. 세밥, NIBR (2013), distributed in Russia, Mongolia, China, Japan and North America (Wu and Clemants, 2000)

Liliaceae 백합과

117 *Allium deltoidefistulosum* S. Yu, S. Lee & W. Lee 세모부추, NIBR (2013), synonym of *A. sacculiferum* Maxim. (Choi and Oh, 2011)

118 *Allium taquetii* H. Lév. var. *deltoides* (S. Yu, S. Lee & W. Lee) H. J. Choi & B. U. Oh 한라세모부추, NIBR (2013), Scientific name error of *A. thunbergii* G. Don var. *deltoides* (S. O. Yu, S. T. Lee & W. T. Lee) H.J. Choi & B. U. Oh (Choi and Oh, 2003)

119 *Lilium amabile* Palib. 털중나리, NIBR (2013), distributed in China (Rong et al., 2011)

120 *Lilium tenuifolium* Fisch. var. *chrysanthum* Nakai 금나리, NIBR (2013), synonym of *L. pumilum* Delile (Govaerts, 2011)

121 *Polygonatum odoratum* (Mill.) Druce var. *quelpaertense* H. Hara 제주둥굴레, KFS (2012); NIBR (2013), synonym of *P. odoratum* (Mill.) Druce var. *pluriflorum* (Miq.) Ohwi (Jang, 1998)

122 *Polygonatum stenanthum* Nakai 좁은둥굴레, NIBR (2013), synonym of *P. falcatum* A. Gray (Tamura, 2008)

123 *Veratrum oxysepalum* Turcz. 푸른박새, NIBR (2013), distributed in China, Japan, and Russia (Kikuchi et al., 2010; Kim et al., 2014)

Orchidaceae 난초과

124 *Calanthe coreana* Nakai 섬새우난초, KFS (2012); NIBR (2013), synonym of *C. discolor* Lindl (Lee, 2011)

125 *Neottia hypocastanoptica* Y. Lee 한라새둥지란, NIBR (2013), synonym of *N. kiusiana* T. Hashim. & S. Hatus. (Lee, 2011)

Poaceae 벼과

126 *Asperella coreana* (Honda) Nevski 고려개보리, KFS (2012), distributed in China and Russia (Lee, 2007)

127 *Calamagrostis hymenoglossa* Ohwi 북선메뚜기피, KFS (2012); NIBR (2013), synonym of *C. monticola* V. Petrov ex Kom. (Tzvelev and Probatova, 2012)

128 *Miscanthus oligostachyus* Stapf subsp. *intermedius* (Honda) T. Koyama 역새아재비, KFS (2012), synonym of *M. oligostachyus* Stapf (Clayton et al., 2006)

129 *Poa kanboensis* Ohwi 관모포아풀, KFS (2012); NIBR (2013), distributed in China [= *P. urssulensis* Trin. var. *kanboensis* (Ohwi) Olonova & G. Zhu] (Zhu et al., 2006)

130 *Pseudosasa japonica* (Steud.) Makino var. *purpurascens* Nakai 자주이대, NIBR (2013), synonym of *P. japonica* (Steud.) Makino (Ohnberger, 1999)

131 *Puccinellia coreensis* Hack. ex Honda 갯겨이삭, KFS (2012); NIBR (2013), distributed in China (Liu et al., 2006)

132 *Sasa chiisanensis* (Nakai) Y. Lee 갯대, KFS (2012); NIBR (2013), synonym of *S. borealis* (Hack.) Makino & Shibata (Ohnberger, 1999)