

배바위산의 植物目錄(1)

吳 修 榮* · 金 大 年**

(慶北大學校 文理科大學 生物學科, **慶北 蔚珍郡 厚浦國民學校)

A Floristic Study of Mt. Bae-Ba-Wi (1)

Oh, Soo-Young* · and Dae-Nyeon Kim**

(*Dept. of Biology, College of Liberal Arts & Sciences, Kyungpook National University, Taegu 635, Korea.)

(**Hupo Primary School, Sam-Yul-Ri, Pyeong-Hae-Myeon, Ul-Jin-Gun, Gyeong-Bug Province 680, Korea.)

Introduction

The purpose of this study was to investigate the flora of Mt. Bae-Ba-Wi, at 36°58'26" N. latitude and 129°04'36" E. longitude, and in Bun-Cheon-Ri, So-Cheon-Myeon, Bong-Hwa-Gun, Gyeong-Bug Province, Korea. Mt. Bae-Ba-Wi (967 above sea level) belongs to the Tae-Baeg mountain range. This report is the first of its kind about the flora of Mt. Bae-Ba-Wi. The survey was conducted for twenty-six days from May 4, 1977 to October 13, 1977. This floristic study of Mt. Bae-Ba-Wi comprises 75 families, 199 genera, 234 species, 45 varieties and 4 formae. The taxa which have phytogeographical features are *Lophatherum gracile*, *Silene koreana* and *Syneilesis aconitifolia*.

List of the Vascular Plants Collected

In the following list the pteridophyte families are arranged in the sequence presented Tagawa(1975), and the gymnosperm and angiosperm families by Ohwi (1975). Genera, species and infraspecific taxa are given in alphabetical order within the relevant family. The sources of the nomenclature were largely the manuals of the above two authors, but newer names have been adopted as seemed desirable.

○Pteridophyta 羊齒植物

Fam. 1. Selaginellaceae 부처손과

- 1) *Selaginella involvens*(Sw.) Spring 바위손 800m. 樹
林陰地

Fam. 2. Equisetaceae 속새과

- 2) *Equisetum arvense* Linn. 쇠뜨기 580m. 濕地

Fam. 3. Pteridaceae 참고사리과

- 3) *Dennstaedtia wilfordii* (Moore) Koidz. ex Tagawa
황고사리 440m. 陰地

Fam. 4. Aspidiaceae 관중과

- 4) *Athyrium yokoscense* (Fr. et Sav.) Christ 뱀고사리
440m. 陰地

- 5) *Dryopteris crassirhizoma* Nakai 관중 500m. 溪谷濕地
- 6) *Polystichum tripterum* (Kunze) Pr. 십자고사리 500m. 陰地
- 7) *Woodsia polystichoides* Eat. 우드풀 440m. 陰地
Fam. 5. Aspleniaceae 꼬리고사리과
- 8) *Camptosorus sibiricus* Rupr. 거미일엽초 440m. 岩石濕地
○Spermatophyta 種子植物
○Gymnospermae 裸子植物
Fam. 6. Ginkgoaceae 은행나무과
- 9) *Ginkgo biloba* Linn. 은행나무 380m. 植栽
Fam. 7. Pinaceae 소나무과
- 10) *Pinus koraiensis* Sieb. et Zucc. 잣나무 380m. 山麓陽地
Fam. 8. Cupressaceae 편백과
- 11) *Juniperus rigida* Sieb. et Zucc. 노간주나무 380m. 山麓陽地
○Angiospermae 被子植物
○Monocotyledoneae 單子葉植物
Fam. 9. Alismataceae 택사과
- 13) *Sagittaria trifolia* Linn. 벗풀 460m. 濕地
Fam. 10. Gramineae 벼과
- 14) *Achnatherum pekinense* (Hance) Ohwi 나래새 540m. 山野
- 15) *Alopecurus aequalis* Sobol. var. *amurensis* (Komarov) Ohwi 독새풀 480m. 濕地
- 16) *Arthraxon hispidus* (Thunb.) Makino 조개풀 360m. 山麓陽地
- 17) *Calamagrostis arundinacea* (Linn.) Roth var. *brachytricha* (Steud.) Hack. 실새풀 380m. 陽地
- 18) *Digitaria adscendens* (H.B.K.) Henrard 바랭이 440m. 陰地
- 19) *Lophatherum gracile* Brongn. 조리대풀 960m. 陽地
- 20) *Miscanthus purpurascens* (Anders.) Rendle 억새 360m. 砂地
- 21) *Pennisetum alopecuroides* (Linn.) Spreng. 수크령 380m. 水流邊草地
- 22) *Setaria gigantea* Makino 가락지초 380m. 山麓陽地
- 23) *Setaria glauca* (Linn.) Beauv. 금강아지풀 480m. 水流邊草地
- 24) *Setaria viridis* (Linn.) Beauv. 강아지풀 360m. 陽地
- 25) *Spodiopogon sibiricus* Trin. 큰기류새 540m. 山野
Fam. 11. Cyperaceae 방동산이과
- 26) *Carex ischnostachya* Steud. 염주사초 500m. 陰地濕地
- 27) *Carex neurocarpa* Maxim. 평이사초 580m. 濕地
- 28) *Carex siderosticta* Hance 대사초 380~960m. 樹林陰地
- 29) *Cyperus orthostachyus* Fr. et Sav. 쇠방동산이 500m. 水流邊陰地
- 30) *Eleocharis mamillata* Lindb. fil. var. *cyclocarpa* Kitagawa 물꼬챙이풀 360m. 水流邊濕地
Fam. 12. Araceae 천남성과
- 31) *Arisaema angustatum* Fr. et Sav. var. *peninsulae* (Nakai) Nakai 점박이천남성 400~580m. 陰地濕地
Fam. 13. Commelinaceae 닭의장풀과
- 32) *Commelina communis* Linn. 닭의장풀 620m. 陽地
- 33) *Streptolirion volubile* Edgew. 덩굴닭의장풀 540m. 山野
Fam. 14. Juncaceae 골풀과
- 34) *Juncus effusus* Linn. var. *decipiens* Buchen. 골풀 380m. 濕地
Fam. 15. Liliaceae 백합과
- 35) *Allium sacculiferum* Maxim. 참산부추 360m. 水流邊草地
- 36) *Asparagus schoberioides* Kunth 비짜루 720m. 陰地
- 37) *Hemerocallis aurantiaca* Baaer 원추리 380m. 陽地
- 38) *Lilium amabile* Palibin 털중나리 380m. 陽地
- 39) *Lilium lancifolium* Thunb. 참나리 360m. 陰地
- 40) *Polygonatum humile* Fisch. 작씨둥굴레 450m. 陽地
- 41) *Scilla scilloides* (Lindl.) Druce 무릇 360m. 水流邊草地
- 42) *Smilax china* Linn. 청미래덩굴 420m. 陽地
- 43) *Smilax nipponica* Miq. 선밀나물 780m. 樹林陰地
Fam. 16. Dioscoreaceae 마과
- 44) *Dioscorea batatas* Decne. 마 420m. 栽培
- 45) *Dioscorea japonica* Thunb. 참마 460m. 山麓陽地
- 46) *Dioscorea tokoro* Makino 도고로마 500m. 陰地
Fam. 17. Iridaceae 붓꽃과
- 47) *Iris nertschinskia* Loddiges 붓꽃 360m. 濕地
Fam. 18. Orchidaceae 난초과
- 48) *Cephalanthera longibracteata* Blume 은대난초 600~720m. 陰地
○Dicotyledoneae 雙子葉植物
○Choripetalae 離瓣花類
Fam. 19. Chloranthaceae 홀아비꽃대과

- 49) *Chloranthus japonicus* Sieb. 홀아비꽃대 450m. 陰地
Fam. 20. Salicaceae 버들목
- 50) *Salix babylonica* Linn. 수양버들 380m. 植栽
- 51) *Salix chaenomeloides* Kimura 왕버들 620m. 陰地
- 52) *Salix gracilistyla* Miq. 갯버들 500m. 陽地
Fam. 21. Juglandaceae 호도목
- 53) *Juglans mandshurica* Maxim. 가래나무 360m. 陰地
Fam. 22. Betulaceae 자작나무목
- 54) *Alnus japonica* (Thunb.) Steud. 오리나무 340m. 陽地
- 55) *Corylus heterophylla* Fisch. 난퇴잎개암나무 360m. 山麓陽地
Fam. 23. Fagaceae 너도밤나무목
- 56) *Quercus acutissima* Carruth. 참나무 450~600m. 陽地
- 57) *Quercus aliena* Blume 갈참나무 380~960m. 陽地
- 58) *Quercus dentata* Thunb. 떡갈나무 360m. 陽地
- 59) *Quercus mongolica* Fisch. 신갈나무 450m. 陽地
- 60) *Quercus serrata* Thunb. 졸참나무 600m. 陽地
- 61) *Quercus variabilis* Blume 굴참나무 600m. 陽地
Fam. 24. Moraceae 뽕나무목
- 62) *Morus alba* Linn. 뽕나무 380m. 植栽
- 63) *Morus bombycis* Koidz. 산뽕나무 440m. 陰地
Fam. 25. Urticaceae 쐽기목
- 64) *Boehmeria tricuspis* (Hance) Makino 거북꼬리 360m. 水流邊
- 65) *Pilea mongolica* Weddell 모시불통이 580m. 陰地 濕地
- 66) *Urtica laetevirens* Maxim. 애기쐽기풀 440m. 陰地
Fam. 26. Aristolochiaceae 귀방울목
- 67) *Asarum sieboldii* Miq. 족도리풀 480~560m. 水流 邊草地
Fam. 27. Polygonaceae 마디풀목
- 68) *Rumex acetosa* Linn. 수영 380~450m. 陽地
- 69) *Polygonum aviculare* Linn. 마디풀 440m. 路邊陰地
- 70) *Polygonum longisetum* De Bruyn 개여뀌 580m. 濕地陰地
- 71) *Polygonum nepalense* Meisn. 산여뀌 440~580m. 陰地濕地
- 72) *Polygonum perfoliatum* Linn. 머느리배꼽 500m. 水流邊草地
- 73) *Polygonum scabrum* Moench 흰여뀌 480m. 水流邊
- 74) *Polygonum senticosum* (Meisn.) Fr. et Sav. 머느리 잎씻개 380m. 水流邊草地
- 75) *Polygonum sieboldii* Meisn. var. *aestivum* (Ohki) Ohwi 미구리낙시 580m. 濕地
- 76) *Polygonum thunbergii* Sieb. et Zucc. 고마리 560~600m. 山麓陰地
Fam. 28. Chenopodiaceae 명아주목
- 77) *Chenopodium album* Linn. var. *centrorubrum* Makino 명아주 360m. 陽地
Fam. 29. Amaranthaceae 비름목
- 78) *Amaranthus mangostanus* Linn. 비름 360~440m. 陽地
Fam. 30. Caryophyllaceae 석죽목
- 79) *Cerastium holosteoides* Fries var. *hallaisanense* (Nakai) Mizushima 점나도나물 350~450m. 濕地陰地
- 80) *Cucubalus baccifer* Linn. var. *japonicus* Miq. 덩굴별꽃 500m. 路邊陽地
- 81) *Dianthus chinensis* Linn. 패랭이꽃 540~620m. 陽地
- 82) *Pseudostellaria palibiniana* (Takaeda) Ohwi 큰개별꽃 450m. 陰地
- 83) *Silene koreana* Komarov 끈근이장구채 620m. 陰地
- 84) *Silene scoulense* Nakai 가는장구채 940m. 陰地
- 85) *Stellaria aquatica* (Linn.) Scop. 쇠별꽃 360~580m. 山麓陽地
Fam. 31. Ranunculaceae 미나리아재비목
- 86) *Aconitum jaluense* Komarov 투구꽃 500m. 樹林陰地
- 87) *Aconitum locyanum* R. Raymund 진범 640m. 陰地
- 88) *Aquilegia oxysepala* Trautv. et Mey. 매발톱꽃 400m. 濕地陰地
- 89) *Caltha minor* Nakai 동의나물 600m. 濕地
- 90) *Clematis apiifolia* DC. 사위질빵 340m. 陽地
- 91) *Clematis brachyura* Maxim. 외대으아리 460m. 山麓陽地
- 92) *Clematis mandshurica* Rupr. 으아리 460m. 山麓陽地
- 93) *Clematis patens* Morren et Decne. 큰꽃으아리 360~450m. 山麓陽地
- 94) *Clematis urticifolia* Nakai 조희풀 500m. 樹林陰地
- 95) *Pulsatilla koreana* (Yabe) Nakai 할미꽃 450m. 陽地
- 96) *Ranunculus chinensis* Bunge 짓가락풀 380m. 濕地
- 97) *Ranunculus japonicus* Thunb. 미나리아재비 380m. 濕地
Fam. 32. Menispermaceae 새모래덩굴목
- 98) *Cocculus orbiculatus* (Linn.) Forman 땃랭이덩굴 360~400m. 水流邊陰地

- Fam. 33. Magnoliaceae 목련과
- 99) *Magnolia sieboldii* K. Koch 함박꽃나무 620m. 樹林陰地
- Fam. 34. Papaveraceae 양귀비꽃과
- 100) *Chelidonium japonicum* Thunb. 피나물 440m. 陰地
- 101) *Chelidonium majus* Linn. var. *asiaticum* (Hara) Ohwi 애기똥풀 380~500m. 陰地
- 102) *Corydalis ochotensis* Turcz. 눈피불주머니 440~580m. 濕地
- 103) *Corydalis speciosa* Maxim. 산피불주머니 380~450m. 陽地陰地
- Fam. 35. Cruciferae 십자화과
- 104) *Arabis glabra* (Linn.) Bernh. 장매나물 380m. 陽地
- 105) *Capsella bursa-pastoris* (Linn.) Medik. 냉이 400m. 陽地
- 106) *Cardamine leucantha* (Tausch) O.E.Schulz 미나리냉이 440m. 陰地
- 107) *Draba nemorosa* Linn. var. *hebecarpa* Lindbl. 꽃다지 380m. 陽地
- 108) *Lepidium micranthum* Ledeb. 다닥냉이 360m. 陽地
- 109) *Rorippa islandica* (Oeder) Borás 속속이풀 380m. 濕地
- Fam. 36. Saxifragaceae 범의귀과
- 110) *Astilbe chinensis* (Maxim.) Fr. 노루오줌 460m. 樹林陰地
- 111) *Chrysosplenium flagelliferum* Fr. Schm. 애기괘이눈 400m. 陽地
- 112) *Deutzia prunifolia* Rehder 바위말발도리 500m. 陽地
- 113) *Hydrangea macrophylla* (Thunb.) Ser. var. *acuminata* (Sieb. et Zucc.) Makino 산수국 480m. 陰地
- 114) *Mukdenia rossii* (Oliver) Koidz. 돌단풍 340~400m. 濕地
- 115) *Parnassia palustris* Linn. 물매화풀 380~600m. 陰地
- 116) *Philadelphus schrenckii* Rupr. 고광나무 380~520m. 濕地陽地
- Fam. 37. Rosaceae 장미과
- 117) *Agrimonia coreana* Nakai 산짚신나물 660m. 山麓陰地
- 118) *Agrimonia pilosa* Ledeb. 짚신나물 380m. 草地
- 119) *Crataegus pinnatifida* Bunge 산사나무 360m. 陰地
- 120) *Crataegus pinnatifida* Bunge var. *spilosa* C.K. Schneid. 좁은산사나무 360m. 水流邊砂地
- 121) *Duchesnea chrysantha* (Zoll. et Mor.) Miq. 뱀딸기 580m. 濕地
- 122) *Geum aleppicum* Jacq. 큰뱀무 360~380m. 水流邊草地
- 123) *Geum japonicum* Thunb. 뱀무 480m. 樹林陰地
- 124) *Malus baccata* Borkh. var. *mandshurica* (Maxim.) C.K. Schneid. 털야광나무 500m. 水流邊
- 125) *Potentilla cryptotaeniae* Maxim. 물양지꽃 480m. 樹林陰地
- 126) *Potentilla discolor* Bunge 큰소시랑개비 420m. 山麓陽地
- 127) *Potentilla fragarioides* Linn. var. *major* Maxim. 양지꽃 420m. 陽地
- 128) *Prunus persica* (Linn.) Batsch. 복사나무 360m. 草地
- 129) *Rubus crataegifolius* Bunge 산딸기나무 400~960m. 陰地陽地
- 130) *Rubus oldhami* Miq. 덩굴딸기 500m. 陽地
- 131) *Rubus phoenicolasius* Maxim. 붉은가시딸기 380~660m. 陰地
- 132) *Sanguisorba officinalis* Linn. 오이풀 540m. 山野
- 133) *Sanguisorba tenuifolia* Fisch. var. *alba* Trautv^o et Mey. 가늘오이풀 340m. 濕地
- 134) *Spiraea blumei* G. Don 산조팝나무 350~440m. 陰地
- 135) *Spiraea prunifolia* Sieb. et Zucc. forma *simpliciflora* Nakai 조팝나무 450m. 濕地
- 136) *Stephanandra incisa* (Thunb.) Zabel 국수나무 350~500m. 濕地
- Fam. 38. Leguminosae 콩과
- 137) *Amphicarpaea edgeworthii* Benth. var. *japonica* Oliver 새콩 360m. 砂地
- 138) *Cassia nomame* (Sieb.) Honda 차풀 360m. 陽地
- 139) *Lespedeza cuneata* (Du Mont. d. Cours.) G. Don 비수리 360~600m. 陽地
- 140) *Lespedeza cyrtobotrya* Miq. 참싸리 960m. 陽地
- 141) *Melilotus suaveolens* Ledeb. 전동싸리 420m. 陽地
- 142) *Pueraria lobata* (Wisd.) Ohwi 쑥 360~960m. 陰地
- 143) *Sophora flavescens* Aiton 고삼 400m. 草地
- 144) *Trifolium paratense* Linn. 붉은토끼풀 380m. 水流邊

- 145) *Trifolium repens* Linn. 토끼풀 380~500m. 樹林
 146) *Vicia japonica* A. Gray 넓은잎갈키 400~480m. 山麓陰地
 147) *Vicia unijuga* A. Br. 나비나물 500m. 樹林陰地
 Fam. 39. Geraniaceae 쥐손이풀과
 148) *Geranium sibiricum* Linn. var. *glabrius* (Hara) Ohwi 쥐손이풀 360m. 草地
 149) *Geranium thunbergii* Sieb. et Zucc. 이질풀 360m. 草地
 Fam. 40. Oxalidaceae 꿩이밥
 150) *Oxalis corniculata* Linn. 꿩이밥 380~580m. 濕地
 Fam. 41. Rutaceae 운향과
 151) *Zanthoxylum schinifolium* Sieb. et Zucc. 산초나무 360m. 山麓陽地
 Fam. 42. Euphorbiaceae 대극과
 152) *Acalypha australis* Linn. 개풀 580m. 濕地
 153) *Securinea suffruticosa* (Pall.) Rehd. var. *japonica* (Muell. Arg.) Hurusawa 광대싸리 500m. 陰地
 Fam. 43. Anacardiaceae 율나무과
 154) *Rhus javanica* Linn. 붉나무 360~960m. 樹林陰地
 Fam. 44. Celastraceae 노박덩굴과
 155) *Celastrus orbiculatus* Thunb. 노박덩굴 360m. 樹林陰地
 156) *Euonymus alatus* (Thunb.) Sieb. 화살나무 360~520m. 陰地陽地
 157) *Euonymus alatus* (Thunb.) Sieb. forma *ciliatodentatus* (Fr. et Sav.) Hiyama 회잎나무 360m. 砂地
 158) *Euonymus japonicus* Thunb. 사철나무 380m. 植栽
 159) *Euonymus planipes* (Koehne) Koehne 회나무 560m. 陽地
 160) *Tripterygium regelii* Sprague et Takeda 메역순나무 940m. 陰地
 Fam. 45. Staphyleaceae 고추나무과
 161) *Staphylea bumalda* (Thunb.) DC. 고추나무 360~500m. 溪谷濕地
 Fam. 46. Aceraceae 단풍과
 162) *Acer ginnala* Maxim. 신나무 380~450m. 山麓陽地
 163) *Acer mono* Maxim. 고로쇠나무 560m. 樹林陰地
 164) *Acer negundo* Linn. 베군도단풍 380m. 植栽
 165) *Acer pseudo-sieboldium* Komarov 당단풍나무 560m. 樹林陰地
 166) *Acer triflorum* Komarov 나도박달 560m. 陰地
 167) *Acer ukurunduense* Trautv. et May. 부계꽃나무 560m. 陰地
 Fam. 47. Balsaminaceae 봉선화과
 168) *Impatiens noli-tangere* Linn. 노랑물봉선 540m. 濕地
 169) *Impatiens textori* Miq. 물봉선 400~500m. 陰地 濕地
 Fam. 48. Rhamnaceae 갈매나무과
 170) *Rhamnus davurica* Pallas 갈매나무 500m. 陰地
 Fam. 49. Vitaceae 포도과
 171) *Ampelopsis brevipedunculata* (Maxim.) Trautv. 개머루 560m. 溪谷陽地
 172) *Parthenocissus tricuspidata* (Sieb. et Zucc.) Planch. 담쟁이덩굴 400m. 溪谷
 173) *Vitis amurensis* Rupr. 왕머루 550m. 溪谷
 174) *Vitis flexuosa* Thunb. 새머루 380m. 陰地
 Fam. 50. Sterculiaceae 벽오동과
 175) *Actinidia arguta* (Sieb. et Zucc.) Planch., ex Miq. 다래나무 460m. 樹林陰地
 Fam. 51. Guttiferae 고추나무과
 176) *Hypericum ascyron* Linn. 물레나물 580m. 陰地
 177) *Hypericum erectum* Thunb. 고추나물 360~480m. 水流邊
 Fam. 52. Violaceae 제비꽃과
 178) *Viola acuminata* Ledeb. 출방제비꽃 360~450m. 陰地陽地
 179) *Viola collina* Bess. 둥근털제비꽃 480m. 陰地
 180) *Viola mandshurica* W. Becker 제비꽃 450m. 陰地
 181) *Viola selkirkii* Pursh 외제비꽃 580m. 陰地
 Fam. 53. Elaeagnaceae 브리수나무과
 182) *Elaeagnus umbellata* Thunb. 브리수나무 400m. 陰地
 Fam. 54. Alangiaceae 박취나무과
 183) *Alangium platanifolium* (Sieb. et Zucc.) Harms var. *trilobum* (Miq.) Ohwi 박취나무 400~460m. 山麓陰地
 Fam. 55. Onagraceae 바늘꽃과
 184) *Epilobium pyrricholophum* Fr. et. Sav. 바늘꽃 480m. 樹林陰地
 Fam. 56. Araliaceae 두릅나무과
 185) *Acanthopanax senticosus* (Rupr. et Maxim.) Harms 가시오갈피나무 700m. 陰地
 186) *Aralia elata* (Miq.) Seemann 두릅나무 640m. 陽地
 187) *Kalopanax pictus* (Thunb.) Nakai 옴나무 390m. 陽地

- Fam. 57. Umbelliferae 산형과
- 188) *Bupleurum falcatum* Linn. 시호 560m. 植栽
189) *Sanicula chinensis* Bunge 참반디 480m. 陰地
- Fam. 58. Cornaceae 층층나무과
- 190) *Cornus coreana* Wangerin 말채나무 500m. 樹林陰地
- Gamopetalae 合瓣花類
- Fam. 59. Ericaceae 석남과
- 191) *Rhododendron mucronulatum* Turcz. 진달래나무 500m. 陰地
192) *Rhododendron schlippenbachii* Maxim. 철쭉나무 500m. 陰地
193) *Rhododendron yedoense* Maxim. var. *poukhanense* (Lév.) Nakai 산철쭉 500~960m. 陽地
194) *Vaccinium koreanum* Nakai 산앵도나무 620m. 陰地
- Fam. 60. Primulaceae 앵초과
- 195) *Lysimachia clethroides* Duby 큰까치수염 420~580m. 陰地陽地
196) *Lysimachia vulgaris* Linn. var. *davurica* (Ledeb.) Knuth 좁쌀까치수염 340m. 陽地
- Fam. 61. Symplocaceae 회목과
- 197) *Symplocos chinensis* (Lour.) Druce forma *pilosa* (Nakai) Ohwi 노린재나무 400~500m. 陰地濕地
- Fam. 62. Gentianaceae 용담과
- 198) *Gentiana scabra* Bunge var. *buergeri* (Miq.) Maxim. 용담 380~500m. 濕地陽地
199) *Swertia pseudochinensis* Hara 자루손풀 360m. 陽地
- Fam. 63. Asclepiadaceae 박주가리과
- 200) *Metaplexis japonica* (Thunb.) Makino 박주가리 360m. 陰地
- Fam. 64. Convolvulaceae 메꽃과
- 201) *Calystegia hederacea* Wall. 애기메꽃 600m. 山麓陽地
- Fam. 65. Verbenaceae 마편초과
- 202) *Callicarpa japonica* Thunb. 작살나무 360~500m. 陰地陽地
203) *Clerodendrum trichotomum* Thunb. 누리장나무 540m. 山麓陽地
- Fam. 66. Labiatae 꿀풀과
- 204) *Amethystea caerulea* Linn. 개차즈기 440~580m. 陽地濕地
205) *Elsholtzia ciliata* (Thunb.) Hylander 향유 360m. 山麓陽地
- 206) *Elsholtzia splendens* Nakai ex F. Maekawa 꽃향유 440m. 陰地
207) *Lamium album* Linn. var. *barbatum* (Sieb. et Zucc.) Fr. et Sav. 광대수염 360m. 陰地
208) *Lamium amplexicaule* Linn. 광대나물 400m. 水流邊
209) *Leonurus macranthus* Maxim. 송장풀 380m. 草地
210) *Leonurus sibiricus* Linn. 익모초 380~540m. 山野草地
211) *Meehania urticifolia* (Miq.) Makino 벌깨덩굴 500m. 陽地
212) *Mentha arvensis* Linn. var. *piperascens* Malinvaud 박하 380~580m. 濕地陽地
213) *Prunella vulgaris* Linn. var. *lilacina* Nakai 꿀풀 440~540m. 陽地
214) *Scutellaria indica* Linn. 꿀무꽃 400~500m. 陽地
215) *Stachys japonica* Miq. 석잠풀 380m. 濕地
- Fam. 67. Solanaceae 가지과
- 216) *Physalis alkekengi* Linn. var. *franchetii* (Masters) Hort. 파리 540m. 山野
- Fam. 68. Scrophulariaceae 현삼과
- 217) *Melampyrum roseum* Maxim. 꽃머느리밥풀 540m. 陽地
218) *Pedicularis resupinata* Linn. 송이풀 440m. 陰地
219) *Veronica grandis* Fisch. ex Spreng. var. *pinuata* Nakai 구와꼬리풀 620m. 陽地
- Fam. 69. Phrymaceae 파리풀과
- 220) *Phryma leptostachya* Linn. var. *asiatica* Hara 파리풀 480~580m. 濕地陰地
- Fam. 70. Plantaginaceae 질경이과
- 221) *Plantago asiatica* Linn. 질경이 360~640m. 陰地濕地
- Fam. 71. Rubiaceae 꼭두선이과
- 222) *Asperula platygalium* Maxim. var. *alpina* Maxim. 개갈키 460m. 樹林陰地
223) *Galium verum* Linn. var. *trachycarpum* DC. 솔나물 360m. 山麓陽地
224) *Rubia akane* Nakai 꼭두선이 560m. 水流邊陰地
- Fam. 72. Caprifoliaceae 인동과
- 225) *Lonicera japonica* Thunb. 인동덩굴 360~560m. 樹林陰地
226) *Viburnum opulus* Linn. var. *calvescens* (Rehd.) Hara 백당나무 380~450m. 陰地濕地

- 227) *Weigela florida* (Bunge) A. DC. 붉은명꽃나무
450m. 陰地
Fam. 73. Valerianaceae 마타리科
- 228) *Patrinia seabiosaefolia* Fisch. 마타리 960m. 陽地
- 229) *Valeriana fauriei* Briq. 쥐오줌풀 450m. 陰地陽地
Fam. 74. Campanulaceae 초롱꽃科
- 230) *Adenophora radiatifolia* Nakai 총총잔대 620m.
陰地
- 231) *Adenophora radiatifolia* Nakai var. *angustifolia*
Nakai 가는총총잔대 620m. 陰地
- 232) *Adenophora triphylla* (Thunb.) A. DC. var. *japo-
nica* (Regel) Hara 잔대 620m. 陰地
- 233) *Campanula punctata* Lam. 초롱꽃 400m. 濕地陰地
- 234) *Codonopsis lanceolata* (Sieb. et Zucc.) Trautv. 더
덕 480m. 山麓陰地
- 235) *Platycodon grandiflorum* (Jacq.) A. DC. 도라지
380~800m. 陰地陽地
Fam. 75. Compositae 국화科
- 236) *Achillea alpina* Linn. var. *discoidea* (Regel) Ki-
tamura 톱풀 380~440m. 水流邊陰地
- 237) *Adenocaulon himalaicum* Edgew. 멸가치 480m.
陰地濕地
- 238) *Ainsliaea acerifolia* Schultz-Bipont. 단풍취 460~
620m. 陰地
- 239) *Artemisia iwayomogi* Kitamura 더위지기 360m.
水流邊
- 240) *Artemisia keiskeana* Miq. 맑은대쭉 960m. 陽地
- 241) *Artemisia mongolica* Fisch. 참쭉 500m. 水流邊
陽地
- 242) *Artemisia sylvatica* Maxim. 그늘쭉 660m. 陰地
- 243) *Aster ageratoides* Turcz. var. *ovatus* (Fr. et Sav.)
Nakai 까실쭉부장이 480~620m. 陰地陽地
- 244) *Aster fastigiatus* Fisch. 옹긋나무 380m. 陽地
- 245) *Aster holophyllus* Hemsley 가는쭉부장이 360m.
山麓陽地
- 246) *Aster incisus* Fisch. 가새쭉부장이 360m. 水流邊
陰地
- 247) *Aster scaber* Thunb. 참취 340~960m. 陽地
- 248) *Atractylodes japonica* Koidz. ex Kitamura 삼주
960m. 陽地
- 249) *Bidens parviflora* Willd. 까치발 580m. 濕地
- 250) *Carduus crispus* Linn. 지느레미영취 400m. 陽
地
- 251) *Chrysanthemum boreale* (Makino) Makino 산국
380m. 陽地
- 252) *Chrysanthemum zawadskii* Herbich 산구절초 380
~960m. 陰地陽地
- 253) *Cirsium japonicum* DC. var. *ussuriense* (Regel)
Kitamura 영취 380m. 山野
- 254) *Erigeron annuus* (Linn.) Pers. 개망초 400m. 陽地
- 255) *Erigeron bonariensis* Linn. 실망초 400m. 草地
- 256) *Eupatorium chinense* Linn. forma *tripartitum*
(Makino) Hara 벌등골나물 500m. 水流邊
- 257) *Hemistepta lyrata* Bunge 지칭개 400m. 陽地
- 258) *Hieracium umbellatum* Linn. var. *japonicum* Hara
조밥나물 480m. 水流邊草地
- 259) *Hololeion maximowiczii* Kitamura 계곡 600m. 山
麓陰地
- 260) *Inula britannica* Linn. var. *chinensis* (Rupr.)
Regel 금불초 380~620m. 山麓陽地
- 261) *Inula britannica* Linn. var. *linariaefolia* (Turcz.)
Regel 가는금불초 380m. 水流邊砂地
- 262) *Inula salicina* Linn. var. *asiatica* Kitamura 버들
금불초 380m. 陽地
- 263) *Ixeris chinensis* (Thunb.) Nakai var. *strigosa*
(Lév. et Van.) Ohwi 선씀바귀 400~500m. 陽地
- 264) *Ixeris dentata* (Thunb.) Nakai 씌바귀 500m. 陽
地
- 265) *Ixeris sonchifolia* Hance 고들빼기 380m. 陽地
- 266) *Kalimeris yomena* Kitamura 쭉부장이 360m. 陰地
- 267) *Lactuca indica* Linn. var. *laciniata* (O. Kuntze)
Hara 왕고들빼기 360m. 陽地
- 268) *Leibnitzia anandria* (Linn.) Nakai 솜나물 500m.
陽地
- 269) *Picris hieracioides* Linn. var. *glabrescens* (Regel)
Ohwi 쇠서나물 500~640m. 山麓陽地
- 270) *Saussurea nikoensis* Fr. et Sav. 서덜취 600m.
山麓陰地
- 271) *Saussurea pseudogracilis* Kitamura 은분취 500m.
陰地
- 272) *Saussurea pulchella* Fisch. ex DC. 각씨취 480~
640m. 陽地
- 273) *Senecio argunensis* Turcz. 쭉방망이 480m. 草地
- 274) *Senecio pierotii* Miq. 솜방망이 450m. 陽地
- 275) *Siegesbeckia glabrescens* (Makino) Makino 진득
찰 440~580m. 陰地濕地
- 276) *Solidago virga-aurea* Linn. var. *asiatica* Nakai 미
역취 360~960m. 陰地陽地

- 277) *Sonchus brachyotis* DC. 사데풀 620m. 山麓陰地 var. *indivisus* Kitamura 수리취 480m. 水流邊草地
 278) *Syneilesis Sconitifolia* (Bunge) Maxim. 애기우산나물 780m. 陰地 281) *Taraxacum platycarpum* Dahlst. 민들레 380m. 水流邊草地
 279) *Syneilesis palmata* (Thunb.) Maxim. 우산나물 440~620m. 陰地 282) *Xanthium strumarium* Linn. 도꼬마리 380m. 草地
 280) *Synurus palmatopinnatifidus* (Makino) Kitamura 기 480~560m. 山麓陽地 283) *Youngia denticulata* (Houtt.) Kitamura 이고들빼기

摘 要

배바위산의 地理的位置는 北緯 36°58'26", 東徑 129°04'36"로서 行政區域上으로는 慶北 奉化郡 小川面 分川里에 屬하며 太白山의 支脈을 形成하는 飛龍山의 옆에 있는 967m의 한 작은 산이다. 배바위산의 植物相에 對한 調査는 이것이 처음이며 1977年 5月 4일부터 10月 13일까지의 19回 26日間을 採集한 結果 75科 199屬 234種 45變種 4品種 合計 283種類를 얻을 수가 있었다. 調査結果 얻어진 이 地域의 새로운 分布로서 特記할 것은 *Lophatherum gracile*(조리대풀), *Silene koreana*(끈끈이장구채) 및 *Syneilesis aconitifolia*(애기우산나물)이다.

References

- 1) Chung, T.H., 1957a. Korean Flora (Herbaceous Plants). 11pp. + 1025pp. + 129pp. *Shinjisa, Seoul.*
- 2) Chung, T.H., 1957b. Korean Flora (Woody Plants) 20pp. + 507pp. + 82pp. *Shinjisa, Seoul.*
- 3) Nakai, T., 1909. Flora Koreana Pars Prima. *Journ. Coll. Sci. Imp. Univ. Tokyo.* 26:1-304.
- 4) Nakai, T., 1911. Flora Koreana Pars Secunda. *Journ. Coll. Sci. Imp. Univ. Tokyo.* 31:1-573.
- 5) Ohwi, J., 1975. Flora of Japan. 1560pp. *Shibundo, Tokyo.*
- 6) Tagawa, M., 1975. Coloured Illustrations of the Japanese Pteridophyta. 270pp. *Hoikusha, Osaka.*